

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/064,227	06/21/2002	Kenneth R. Wilkes	6022P001	4480	
8791	7590 11/13/2006	0 11/13/2006		EXAMINER	
	SOKOLOFF TAYLO	DEXTER, CLARK F			
SEVENTH FLOOR			ART UNIT	PAPER NUMBER	
LOS ANGE	LOS ANGELES, CA 90025-1030			3724	
		DATE MAILED: 11/13/2006			

Please find below and/or attached an Office communication concerning this application or proceeding.

			NII				
Office Action Summary		Application No.	Applicant(s)				
		10/064,227	WILKES, KENNETH R.				
		Examiner	Art Unit				
		Clark F. Dexter	3724				
- Period for	 The MAILING DATE of this communication app Reply 	ears on the cover sheet with the c	orrespondence address				
WHIC - Extense after S - If NO - Failure Any re	DRTENED STATUTORY PERIOD FOR REPLY HEVER IS LONGER, FROM THE MAILING DASSIGNS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing dipatent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	I. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)🛛	Responsive to communication(s) filed on <u>07 Se</u>	eptember 2006.					
2a) <u></u> □	This action is FINAL . 2b) This action is non-final.						
3)🖂	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositio	on of Claims						
4)🛛	4)⊠ Claim(s) <u>1-13 and 20-25</u> is/are pending in the application.						
4	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)🛛	5)⊠ Claim(s) <u>1-13 and 20-25</u> is/are allowed.						
6)□ (6) Claim(s) is/are rejected.						
7) 🗌 (Claim(s) is/are objected to.						
8) 🗌 (Claim(s) are subject to restriction and/or	election requirement.					
Application	on Papers						
9)⊠ Т	The specification is objected to by the Examiner	·.					
	he drawing(s) filed on 19 April 2004 is/are: a)		by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	nder 35 U.S.C. § 119						
	Acknowledgment is made of a claim for foreign ☐ All b)☐ Some * c)☐ None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
 Certified copies of the priority documents have been received. 							
2. Certified copies of the priority documents have been received in Application No							
;	3. Copies of the certified copies of the priority documents have been received in this National Stage						
	application from the International Bureau	, , , , ,					
* Se	ee the attached detailed Office action for a list of	of the certified copies not receive	d.				
Attachment(s)						
1) D Notice	of References Cited (PTO-892)	4) Interview Summary					
	of Draftsperson's Patent Drawing Review (PTO-948) ation Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal Pa	te				
	No(s)/Mail Date	6) Other:	мон принации П				

QUAYLE ACTION

1. The response filed on September 7, 2006 has been entered.

Specification

2. The disclosure is objected to because of the following informalities:

In paragraph 0003, line 9, "Two" should be changed to --The two-- for clarity; in line 14, "a hot" should read --the hot-- for clarity.

In paragraph 0027, line 7, a comma --,-- should be inserted after "cam 40" for clarity; in line 11, "may be a" should be changed to --may be at-- for clarity.

In paragraph 0034, line 1, "37" should read --37, 43-- for accuracy and clarity; in line 10, --the-- should be inserted before "earliest" for clarity.

In paragraph 0036, line 4, "shaft encoder 31" should be changed to --a sensor 31, specifically a shaft encoder 31-- or the like for clarity (e.g., with respect to paragraph 0039).

In paragraph 0037, line 6, --on-- should be inserted after "based" for clarity, and "37" should read --37, 43-- for accuracy and clarity.

In paragraph 0039, lines 3, 6 and 7, the first occurrence of "a" in each line should be changed to --the-- for clarity; in line 9, "37" should read --37, 43-- for accuracy and clarity.

In paragraph 0040, line 6, "37" should read --37, 43-- for accuracy and clarity. In paragraph 0043, line 5, "equal" should read --equals-- for clarity.

In paragraph 0044, line 3, the comma "," should be deleted for clarity.

Appropriate correction is required.

Allowable Subject Matter

3. Claims 1-13 and 20-25 are allowable over the prior art of record.

Conclusion

4. This application is in condition for allowance except for the formal matters described above. Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Clark F. Dexter whose telephone number is (571)272-4505. The examiner can normally be reached on Mondays, Tuesdays, Thursdays and Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer D. Ashley can be reached on (571)272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/064,227 Page 4

Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Clark F. Dexter Primary Examiner Art Unit 3724

cfd November 8, 2006